


# Tapped Base Pillow Block Bearing Mounting

Now Enjoy the Benefits of Tapped Base Pillow Blocks and Telescopers<sup>®</sup> Brand Takeups

**WE OFFER BEARING MOUNTING PLATES FOR TAPPED BASE PILLOW BLOCK BEARINGS**

- Mounts are available for all brands of blocks in bore sizes from 1/2" to 2-3/16".
- This option is available at no extra charge with a one week lead time.
- Available in Stainless and Mild Steel.



## WHEN ORDERING TELESCOPERS<sup>®</sup>...

- Specify the particular plate that you require in the bearing plate position of our part number.  
eg: 100-6-MS-SF-TPB(250-2)
- Check the listings on the next page for a guide matching a bearing plate to the specific bearing that you are now using.

MOUNTING PLATE SPECIFICATIONS				
PLATE DESIGNATION	A LENGTH	B BOLT SPACING	C WIDTH	D HOLE DIAMETER
TPB(100-1)	3	2	1-1/2	7/16
TPB(250-1)	4	3	1-1/2	1/2
TPB(250-2)	4-1/4	3-1/4	2	9/16
TPB(250-3)	4-5/8	3-1/2	2	9/16
TPB(250-4)	5	3-3/4	2	9/16
TPB(250-5)	5-1/2	4	2	11/16

# TPB – Bearing Plate

Next To Each Bearing Plate Part Number Is A Partial List Of The Bearings That It Is Sized To Fit. The Bearings Are Arranged By Manufacturer And Bore Size.

## SELECTION GUIDE

PLATE DESIGNATION	LINK BELT	HUB CITY	BROWNING	SEALMASTER	DODGE	MCGILL
TPB(100-1)	3/4 7/8 15/16 1	1/2 5/8 3/4 7/8 15/16 1	1/2 5/8 3/4 7/8 15/16 1	1/2 9/16 5/8 11/16 3/4 7/8 15/16 1	1/2 5/8 3/4 7/8 15/16 1	1/2 9/16 5/8 11/16 3/4 13/16 7/8 15/16 1
TPB(250-1)	1-1/8 1-3/16 1-1/4	1-1/16 1-1/8 1-3/16 1-1/4S	1-1/8 1-3/16 1-1/4S	1-1/16 1-1/8 1-3/16 1-1/4R	1-1/16 1-1/8 1-3/16 1-1/4 206	1-1/16 1-1/8 1-3/16 1-1/4R
TPB(250-2)	1-1/4 1-3/8 1-7/16	1-1/4 1-5/16 1-3/8 1-7/16	1-1/4 1-3/8 1-7/16	1-1/4 1-5/16 1-3/8 1-7/16	1-1/4 207 1-5/16 1-3/8 1-7/16	1-1/4 1-5/16 1-3/8 1-7/16
TPB(250-3)		1-1/2 1-9/16	1-1/2	1-1/2 1-9/16		1-1/2 1-9/16 1-5/8
TPB(250-4)		1-5/8 1-11/16 1-3/4	1-5/8 1-11/16 1-3/4	1-5/8 1-11/16 1-3/4		1-5/8 1-11/16 1-3/4 1-13/16
TPB(250-5)	1-15/16	1-7/8 1-15/16 2 2-1/8 2-3/16	1-15/16 2	1-7/8 1-15/16 2		1-13/16 1-7/8 1-15/16 2 2-1/16 2-1/8 2-3/16 2-1/4